

Declaration of Performance

DOP No : 001

1. Product type: **Double-glazed PVCu casement sash window**
2. Product type number: **001-13**
3. Intended use: **Not on escape route**
4. Manufacturer: **Nolan Upvc Ltd,Johnstown,Carmarthen,SA31 3BP**
5. Authorised representative: **Jason James – address as in point 4**
6. System of assessment of performance: **3**
7. Reference harmonised standard: **BS EN 14351-1:2006 + A1:2010**
BSI performed test and issued report no 2370/7973745
8. European Technical Assessment: **Not applicable**
9. Declared performance:

Essential Characteristic		Performance	Harmonised Technical Specification
9.1	Resistance to wind load	Class E (2400 Pa)	BS EN 14351-1:2006 + A1:2010
9.2	Watertightness	Class 7A (300 Pa)	
9.3	Dangerous substances	None	
9.4	Load-bearing capacity of safety device	350 N	
9.5	Acoustic performance	npd	
9.6	Thermal transmittance	< 1.78 W/(m ² .K) (C)	
9.7	Radiation properties	npd	
9.8	Air permeability	Class 2 (300 Pa)	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

..Jason James General
Manager.....
(name & title)

..Carmarthen, 24/6/13.....
.....
(place and date of issue)

(signature)

